



OZONE

Waterkite Manual

THANKS

OZONE
© 2008 Ozone Kitesurf Ltd
Please visit www.flyozone.com
for more information

Thank you for purchasing this Ozone kite. Our mission is to build kites with cutting edge performance that are easy, fun and safe to use, no matter what your level.

At Ozone we are passionate about kiting, and it is this passion that drives our design team to perfect and develop kites that we love to ride with. We are proud of the quality of our products, and are constantly searching for the best components and materials to use in our designs. All of our kites and accessories are manufactured in our own high-quality production facility in Vietnam, which guarantees a build quality that we are proud to put the Ozone name on. A close look at one of our kites reveals that same superior quality and construction that ensures that every Ozone kite will enjoy a long life, with consistent handling, performance and aesthetics. To view the factory video visit our website www.flyozone.com.

Kitesurfing like all dynamic action sports carries inherent risks but with common sense and education from qualified Kitesurfing instructors means you can easily enjoy this incredible sport. Accidents generally happen due to a lack of experience, launching from dangerous spots, changing weather conditions or from using a kite that is too big for the rider's ability or wind speed. Please take the time to learn safely and you will progress far quicker with qualified instruction.

Ride safe
Team Ozone



POUR TÉLÉCHARGER CE MANUEL DANS VOTRE LANGUE, ALLEZ SUR LE PAGE DU PRODUIT ET CHOISISSEZ VOTRE KITE >> WWW.FLYOZONE.COM

PARA DESCARGAR ESTE MANUAL EN SU IDIOMA DIRÍJASE A LA PÁGINA DEL PRODUCTO DEL MODELO DE SU COMETA >> WWW.FLYOZONE.COM

UM DIESE ANLEITUNG IN DEINER SPRACHE HERUNTER ZU LADEN, GEHE AUF DIE PRODUKTSEITE DES KITES, WELCHEN DU BESITZT >> WWW.FLYOZONE.COM

PER SCARICARE QUESTO MANUALE NELLA VOSTRA LINGUA, ANDATE ALLA PAGINA PRODOTTI DEL KITE IN VOSTRO POSSESSO >> WWW.FLYOZONE.COM

OM DEZE HANDLEIDING IN UW EIGEN TAAL TE DOWNLOADEN GA NAAR DE PRODUCTENPAGINA VAN DE KITE DIE U BEZIT OP >> WWW.FLYOZONE.COM

WARRANTY

Ozone warrants this product to be free from major defects in material or workmanship to the original purchaser, for a period of six months from the date of purchase. This warranty is subject to the following limitations;

- The warranty is valid only when the product is used for KITEBOARDING ON WATER and does not cover products used in rental or teaching operations.
- Ozone will make the final warranty determination, which may require inspection and/or photos of the equipment, which clearly show the defect(s). If necessary, this information must be sent to the Ozone dealer, postage prepaid.
- If a product is deemed to be defective by Ozone, the warranty covers the repair or replacement of the defective product only.
- Ozone will not be responsible for any costs, losses, or damages incurred as a result of loss of use of this product. The warranty does not cover damage caused by misuse, abuse, neglect or normal wear and tear including but not limited to; rigging with other than Ozone components, damage due to excessive sun exposure, damage caused by improper handling or storage, damage caused by use in waves or shore break and damage caused by anything other than defects in material and workmanship.
- This warranty is voided if any unauthorized repair, change or modification has been made to any part of the equipment. The warranty for any repaired or replaced equipment is good from the date of the original purchase only. The original purchase receipt must accompany all warranty claims.
- The name of the retailer and date of purchase must be clear and legible.
- There are no warranties that extend beyond the warranty specified herein.

WARRANTY CLAIMS

- Warranty claims can only be handled once the product has been activated through our website. (go to www.flyozone.com to register your kite)
- Warranty claims must be processed and be issued a return authorization prior to shipping to the Ozone dealer the product was purchased from.

RELEASE OF LIABILITY

OZONE KITESURF LTD RELEASE OF LIABILITY RELEASE OF LIABILITY, CLAIM WAIVER, ASSUMPTION OF RISK

By assembling and/or using this Ozone product, you agree that you have read and understood the entire Ozone product owners manual, including all instructions and warnings contained in that manual, prior to using the Ozone product in any way. You additionally agree that you will ensure any additional or subsequent user of your Ozone product will read and understand the entire Ozone product owners manual, including all instructions and warnings contained in that Manual, prior to allowing that person to use your Ozone product.

ASSUMPTION OF RISK

Use of the Ozone product and any of its components involve certain risks, dangers, and hazards which can result in serious personal injury and death to both the user and to non-user third parties. In using this Ozone product, you freely agree to assume and accept any and all known and unknown risks of injury to you and third parties while using this equipment. The risks inherent in this sport can be greatly reduced by abiding by the warning guidelines listed in this owner manual and by using common sense.

RELEASE AND WAIVER OF CLAIMS

In consideration of the sale of the Ozone product to you, you hereby agree to the fullest extent permitted by law, as follows:

TO WAIVE ANY AND ALL CLAIMS that you have or may in the future have against Ozone Kitesurf LTD and all related parties resulting from use of the Ozone product and any of its components.

TO RELEASE Ozone Kitesurf LTD and all related parties from any and all liability for any loss, damage, injury or expense that you or any users of you Ozone product may suffer, or that your next of kin may suffer, as a result of the use of the Ozone product, due to any cause whatsoever, including negligence or breach of contract on the part of Ozone Kitesurf LTD and all related parties in the design or manufacture of the Ozone product and any of its components.

In the event of your death or incapacity, all provisions contained herein shall be effective and binding upon your heirs, next of kin, executors, administrators, assigns, and representatives. Ozone Kitesurf LTD related parties have not made and expressly deny and oral or written representations other than what is set forth herein and the Ozone Product Users Manual.

WARNINGS

FLY OZONE
CORPORATION, LLC
Precision Manufacturing
www.flyozone.com



READ THE FOLLOWING POINTS BEFORE ASSEMBLING YOUR KITE:

WARNING:

- Kite flying can be dangerous.
- Always use extreme caution when using this product.
- Misuse of this product can cause serious injury or death.
- Only use this product if you are in good physical health.
- Never act in a careless manner when using this product (such as jumping in the air, or tying yourself down).
- You are responsible for your own safety, and the safety of others around you when using this product.
- If you are under 18 you should have your parents or legal guardian read these warnings and instructions. You should not use this product unless you are under proper guidance and supervision.
- The use of this product exposes the user to many unavoidable and unexpected risks, dangers and hazards.
- Do not use this product if you are under the influence of alcohol, drugs or medications.

IMPORTANT SAFETY RULES:

- Before using this product you must take lessons from a certified instructor/school. Do not attempt to fly a kite without being taught by a certified kite instructor.
- This product is not a personal flotation device. Always wear a Coast Guard approved personal flotation device when using this product near the water.
- Always carefully inspect all of your equipment before using it.
- Always have a partner when launching and landing your kite.
- Always learn using a small two line trainer kite before using a larger more complicated kite.
- Never allow anyone who is not familiar with traction kiting to use this product without experienced assistance.
- Never use this product without a safety leash system. A loose kite is extremely dangerous to everyone downwind.
- The kite/control system is equipped with passive safety systems, which need to be activated by the user for them to work.
- The leash system is not a permanent attachment to this product. Never permanently attach yourself to the kite or any of its components.
- Never use this the kite with another control system or safety leash. Only use the handles or bar that is supplied with this kite as other brands bars are not compatible with this design, therefore the safety system will NOT work.
- Always wear a helmet when using this product.
- Always use a high quality and well maintained kite specific harness.
- Get yourself used to the way your quick release devices work by testing them often in a non emergency situation.
- Rinse your quick release device in fresh water after every session. Quick release devices have a limited lifetime and must be checked and replaced often.
- Always pull and re-load all the safety systems to familiarize yourself with how they work. This is the only way to be sure that you know how to use them in all situations, and that they are correctly loaded and safe for use.
- If you have a bar with a mechanical quick release trim loop it must be changed after 250hours of kiting. Change any quick release or safety leash before if you see any sign of wear. The wearing of your quick release devices is not considered a warranty issue.

CHOOSE SAFE WEATHER CONDITIONS:

- Never learn to use this product in more than 10 knots of wind.
- We highly recommend you purchase a wind speed indicator to be able to measure wind speeds. Study the wind guide to understand wind speeds.
- Never use this product in high winds.
- Never use this product in thunderstorm and lightning conditions.
- Only use this product when you can remain in a standing position.
- Never use this product in wind conditions that are above your ability level.
- Never use this product near or on the water in offshore wind conditions.

CHOOSE A SAFE LOCATION:

- Always observe local rules and regulations when using this product.
- Never use this product near power lines, telephone poles, trees, bushes, roads, automobiles or airports.
- Only use this product when you have at least 100m of clear space downwind, and on both sides of your launching position. The power of the kite can pull you downwind unexpectedly with great force.
- Do not fly your kite over other people or pets. Spectators should remain upwind of you when using this product.
- Never use this product on crowded beaches or fields.
- Never use this product near the water unless you know how to swim and are in good physical health.
- Practice launching and landing procedures, and self rescue techniques before using this product near the water.

USE CAUTION WITH FLYING LINES:




- Never touch the flying lines when the kite is in use. Flying lines are extremely dangerous while under tension and can cause serious injury or death.
- Never use this product with worn lines. A line that breaks while under tension can cause serious injury or death.
- Always check your flying lines for knots before each use. Knots greatly reduce the strength of the lines.
- Stay away from tangled flying lines unless the kite is secured to the ground. An unsecured kite can self launch unexpectedly, and can cause serious injury or death.
- Never allow yourself, or anyone else, to get between the control bar and the kite when using this product.

WIND

OZONE
OSPREY, CANYON, OZONE, OZONE
 PRECISION MANUFACTURING

FORCE	KNOTS	MPH	METRES/SEC	KPH	DESCRIPTION	SKILL LEVEL	ON LAND
0	<1	<1	<0-0.2	<1	Calm	N/A	Calm, smoke rises vertically. Go paragliding/base jumping/hang-gliding
1	1-3	1-3	0.3-1.5	1-5	Light Air	N/A	Smoke drift shows wind direction. Its coming-get large size kites ready!
2	4-6	4-7	1.6-3.3	1-5	Light Breeze	Beginner	Wind felt on face, leaves rustle. Cruising on Mt board/buggy/snowkite
3	7-10	8-12	3.4-5.4	12-19	Gentle Wind	Beginner	Leaves in motion, light flags extended. Ripping on Mt board/buggy/snow
4	11-16	13-18	5.5-7.9	20-29	Moderate Wind	Intermediate	Flags flap, small branches move. Now we're talking->jumping begins
5	17-21	19-24	8.0-10.7	30-38	Fresh Wind	Advanced	Small trees begin to sway. Loving life, fully powered, smiling
6	22-27	25-31	10.8-13.8	39-50	Strong Wind	Advanced	Large branches in motion. Experts only with huge grins
7	28-33	32-38	13.9-17.1	51-61	Near Gale	Advanced	Whole trees in motion. Hard core riders flying!
8	34-40	39-46	17.2-20.7	62-74	Gale	N/A	Trouble walking! Carnage for riders, better to chill out in comfort watching Ozone DVD


➤ always launch your kite at the edge of the wind window




SET-UP

OZONE
OSPREY, CANYON, OZONE, OZONE
 PRECISION MANUFACTURING

➤ Attach the lines to the kite as shown in these diagrams



➤ Kite when flying



➤ Set up the kite and bar face down on the beach with the bar downwind from the kite

SET-UP

OZONE
20140101_02010101_01010101
 Please read carefully
 www.flyozone.com


- 1: Attach the pump leash (photo) to the looped line in the center of the leading edge tube.
- 2: Make sure all the clips are open (photo) before you start pumping.
- 3: Inflate the kite using the IN valve.
- 4: We recommend use of the Ozone pump and inflating to 8 Psi. Close the main valve on the leading edge.
- 5: Make sure you CLOSE all the one-pump clips on the struts. This isolates each strut from the leading edge so if you get a puncture in one part of the kite the LE will still remain inflated.
- 6: Once the kite is fully pumped up turn the kite over and put sand or sand bags on either side of the center strut to secure the kite. Never leave a kite unattended without some sand or sand bags on the kite.




WARNING: Do not ride the kite with the one pump clips undone. If you get a puncture the whole kite will deflate! Always close the one pump clips inside the neoprene covers after pumping up. Do not under inflate the kite or it will not perform to its designed trim and will not relaunch easily.

ATTACHING THE CONTROL LINES

With the kite on the sand and leading edge facing upwind start to unwind all the lines from the bar walking downwind. Put your bar in the sand with red side of the bar on the right and start untangling the flying lines, walking upwind towards the kite. We label each line with numbers which correspond to the same numbers on the kite. Use a larks head knot to attach the lines making sure the line label system matches >> 4 to 4; 3 to 3; 2 to 2; 1 to 1. The line labels are on the bar, lines and kite to make rigging stress free and easy. The frontlines have stitched loop ends and the back lines have knots so it is very difficult for you to attach the lines incorrectly.



ALL LINE TO KITE CONNECTIONS ARE MADE USING A "LARKS HEAD" KNOT.



WARNING: Always double check your lines before launching. Wrongly attached lines will stop the kite flying correctly and could therefore mean you have no control of the kite putting yourself in a dangerous situation.

SECURITY

OZONE
20140101_02010101_01010101
 Please read carefully
 www.flyozone.com

IMPORTANT: This kite is equipped with security quick release systems to enable you to disconnect from the kite in an emergency. It is imperative that you fully understand how to use these safety systems as though you were blindfolded. When something goes wrong you may only have split seconds to react, so take the time to understand and feel 100% confident in your ability to be able to use them in a real situation - Your life may depend on it. PRACTISE USING THEM without being connected to your kite.

CHICKEN LOOP CONNECTION

The chicken loop is the primary connection to the kite. Make sure you connect to the chickenloop using the finger as shown in the pictures.



OZONE SAFETY LEASH

100% FLAG OUT SYSTEM
 All riders should attach their safety leash to the total flag out system. This is the loop on the side of the spinning handle, see pics

In an emergency situation, when the chicken loop is released, the kite will flag out completely, with no power. Make sure that all lines are clear of all working safety systems and the safety leash is connected in the right way, see pics.



ADVANCED RIDERS
 Riders who start doing unhooked tricks or who are more confident and have spent many hours on the water can attach the safety leash to the expert leash ring. NOTE: this is not a total flag out of the kite.



SECURITY

©ZONE
©2016 ZONE, LLC
Please read carefully
and follow instructions

1st STAGE OF SAFETY

Release the chickenloop as shown in the pictures. Providing your leash is attached to the flag out system the kite will 100% depower.



RELOADING THE MEGATRON CHICKENLOOP



FINAL STAGE OF SAFETY

If the kite is still dragging you the final release from the kite is to release the kite leash as shown.



RELOADING THE LEASH



1st FLY

©ZONE
©2016 ZONE, LLC
Please read carefully
and follow instructions

WARNING: NEVER LAUNCH A KITE DIRECTLY DOWNWIND OF YOU IN THE POWER ZONE!

LAUNCHING AND LANDING

Instruct your partner on how to handle the kite and agree on a sign together for the release and landing. They should hold the kite in the center of the leading edge at the edge of the window and double check that all lines are clear. It is possible for lines to get wrapped around the tip so make sure they understand that all lines must run clearly from each attachment point.

Before you give the signal to release make sure you are 100% confident that all lines are clear. Then give your pre-agreed signal for your partner to release the kite and gently launch the kite to the top of the window.



Landing the kite use the same principles >> Most importantly keep your head clear, be smooth and controlled with the kite and land before you are too tired or overpowered.

WARNING: Make sure you grab the correct side of the bar – we colour code the bar red for left.

WATER RELAUNCHING

Once the kite is face down with the leading edge touching the water:

- 1: Pull the bar in towards you to increase back line tension.
- 2: Pull one of the rear lines (line attached to bar ends) towards your body with constant tension. Look at the kite as you pull the rear line and be ready to release some tension as the kite flips up onto its tip.
- 3: Once on its tip the kite will work its way to the edge of the wind window. This requires some skill and finesse in order to not stall the kite backwards onto the water.
- 4: When the kite is at the edge of the window make sure you have the bar pushed at least half de-powered and steer the kite gently to the top of the window.

NOTE: If the kite somehow lands nose down but with the tips facing away, pull one of the rear leader lines to help the kite blow around to the correct position then follow the steps above for getting the kite re-launched.



1st FLY

OZONE
PRECISION MANUFACTURING
Please read carefully
and follow instructions

SELF RESCUE

If you get in trouble out in the water, there is a simple way to self rescue yourself.

Firstly kill the kite's power with the flag out system by releasing the chicken loop. The kite will flag out and drop to the water.

Lines are dangerous in this situation so make sure you wind the flag out frontline around the bar at least 10x to disable the kite. Then wrap all the lines together onto the bar as you normally would. You will end up at the kite ideally with the lines wrapped tightly and neatly on the bar. Make a few half hitches to secure the lines.

Once you have got hold of the kite you can drop the bar. When you have reached the kite, take hold of the SELF RESCUE handles that are situated near the struts on each wingtip. Hold both self rescue handles to use the kite as a sail to get back to shore safely.



CLAMCLEAT TRIMMER

Pull the trimmer line down to depower the kite. This is needed if you are overpowered, for unhooked riding, or if you are walking back up the beach.

Release the trimmer line away from you to increase kite power. To release the line from the teeth make sure you first pull down which unlocks the line from the teeth, then out to release the line the desired amount.



TRIMMING FOR LINE STRETCH

The bar is sold with the correct factory settings however kite lines do stretch with the power lines taking the full load. Unwind the lines from the bar and have a partner hold the bar. Taking hold of the opposite ends check the lines are of equal length. If the lines are not even you may either:

- 1) Stretch out the shorter lines. Attach the shorter lines to a car hitch or something very solid. Then take hold of the bar and pull with enough force to stretch the line. Do this to any lines that are shorter and re-check that all 4 lines are equal length.
- 2) Use rear leader line trimmers.






PACKING

OZONE
PRECISION MANUFACTURING
Please read carefully
and follow instructions

PACKING

- 1: Detach the flying lines from the kite, and wrap them around the bar ends in a figure of eight. Use the elastic line retainers on the bar ends to keep them held in place.
- 2: To deflate the kite first release all one pump plastic clips. Then gently open the OUT valve on the leading edge. This large valve dumps the air quickly from the kite.
- 3: Roll the upwind tip in to the center. Then roll the opposite side and fold the kite in 3 sections from trailing edge to fit in bag.



CARE & MAINTENANCE

Kites are very technical products and are used in the harsh marine environment. If you use common sense and care for your equipment it will look after you and keep its factory trim for hundreds of hours.

Never pump up your kite on a rough surface which may have sharp objects.

Be very careful with your flying lines. If you catch them on a rock or sharp object thoroughly check each one and we recommend you replace your lines. Also make sure there are no knots in the lines. Knots weaken the line by up to 50%.

Once you have pumped up secure your kite with sand or use sandbags like the one provided with this kite – Do not use heavy objects or even your board, the fins have been known to rip kites.

Never leave your kite on the beach un-used for long periods of time in the sun and wind. The trailing edge flapping and sand hitting the sail cloth will severely shorten the kite's life. UV also shortens the lifespan of a kite so pack away when not using your kite.

Never pack away your kite wet, only when 100% dry – This will damage the cloth and its coatings and may lead to dye running. This is not valid for warranty.

Never leave your kite inside your car in direct sunlight.

Wash your bar, lines and kite after every session in fresh water when used.

When inflating the bladders always inflate slowly and ensure the bladders are inflating correctly in the struts or leading edge. If you see a twist or something looks strange STOP pumping immediately and check bladders. They may need re-inserting to ensure they inflate properly.

SAFETY FIRST

OZONE
 SAFETY SYSTEMS, GEAR
 Please read carefully
 and follow instructions

You are responsible for the safe operation of your kite at all times.

- We recommend you learn to kite with a qualified kite instructor.
- Learn to fly your kite in light winds (Under 12kph) until you are 100% competent with flying your kite and operating the safety systems.
- Always use protective equipment; helmet, knee/elbow pads, gloves and buoyancy aids if kiting on water.
- Never underestimate the power a kite produces or how quickly the weather conditions can change.

REPAIRS

OZONE
 SAFETY SYSTEMS, GEAR
 Please read carefully
 and follow instructions

We supply a repair kit with the following contents:

1. A4 pieces of sail cloth
 2. A4 piece of Dacron
 3. 1 x length of 50mm wide sticky black repair tape
 4. 6" x 3" Tear-Aid bladder repair patch
 5. 2 Alcohol wipes
 6. One pump clip / hose / zip ties
 7. Spare elasticised through the bar flag out line
 8. Spare upper cleat trim line
 9. Spare bladder valve plug
- If you have a major repair like a tear across sail panels or the struts or leading edge take the kite to your local sail repair shop. For minor tears you can easily fix this yourself with the repair kit we supply with the Kite.

🚩 CANOPY

1. Make sure you clean and thoroughly dry your kite.
2. Choose a clean and dry area to lay your kite out. Ideally a non-abrasive place protected from the wind.
3. Clean the sail area where you have the rip and cut the sail repair sticky-back material so it fits over the rip by at least 3 cm in all directions. Make sure the patch you cut out has rounded corners.
4. You need to make 2 patches to stick onto both sides of the rip. Peel of the backing and lay down the patch making sure the sail is flat and no air or creases are made as you stick the patch down.

🚩 STRUT BLADDERS

Refer to our website, www.flyozone.com, under the "INFOZONE" tab for a video with full instructions. Ride safe and have fun.
 Team Ozone

