



All new Continuous Curve Leading Edge Construction

The Alpha V2 features our new Continuous Curve Leading Edge construction.

Each segment is now curved to form a perfect smooth arc from tip to tip as opposed to straight segments with angled joints.

Transverse Sail Shaping has been incorporated to perfectly match the new Continuous Curve Leading Edge. These latest design features reduce parasitic drag and create a cleaner

surface at the most important area of the airfoil. The result is less turbulent airflow, which positively affects the lift to drag ratio increasing overall performance.





It features single point inflation/deflation and a high air flow rate between the Struts and Leading Edge, with clips to seal the hoses to prevent unwanted air flow in case of damage.

VARIABLE BRIDLE CEOMETRY Freestyle|Onshore VARIABLE BRIDLE GEOMETRY Quick and easy to change with no extra lines to add or remove. These bridle settings extend the kites operating range, bringing another level of versatility to this outstanding design. Freeride - The ideal balance in performance and feeling for all-round free riding, foiling and wave riding in most conditions. The Freeride setting is the upper knot on the VBG Pigtails (factory setting). Freestyle/Onshore - The kite sits a little further back in the wind window, with increased bar pressure and feedback. If you unhook or prefer a slightly heavier bar feeling this could be the setting for you. It is also favorable for onshore wave riding conditions. The Freestyle/Onshore setting is the lower knot on the VBG Pigtails.

PERFORMANCE SINGLE STRUT DESIGN FREERIDE, HYDRO-FOIL AND TRAVEL SPECIALIST INCREDIBLY LIGHT WEIGHT NEW DESIGN TECHNOLOGY

You will be Surprised

Grab a twin tip and go cruising or jumping, you will be surprised at the jumping and looping capabilities of the Alpha; it has smooth lift and hang-time with precise feedback.











Range of Use:

	0	5	10
ENTRY LEVEL			
INTERMEDIATE			$\bullet \bullet \bullet$
ADVANCED			$\bullet \bullet \bullet$
FREERIDE			• •
FREESTYLE			
FREESTYLE UNHOOKED			
LIGHTWIND			$\bullet \bullet \bullet$
BIG AIR			
HYDRO FOIL			• • •
RACE	•		
WAVE			•

Wind Range:



Wind Range Hydrofoil:



Wind range is indicative only based on an average rider weight of 80kg. Actual range will vary based on rider skill level and type of board used.

	Ozone						RIDER: SIMON
			No. of the last of			mineral non-	
SIZE		6		10	12	14	16
SIZE WEIGHT (KG)		6	8	10	12	14	16
WEIGHT (KG)	1.2	1.7	8 2	2.3	2.7	3	3.4
SIZE WEIGHT (KG) BAR SIZE (CM) LINES (M)			8	10			
WEIGHT (KG) BAR SIZE (CM)	1.2	1.7	8 2 45	10 2.3 50	2.7	55	3.4
WEIGHT (KG) BAR SIZE (CM) LINES (M)	1.2 45 25	1.7 45 25	8 2 45 25	10 2.3 50 25	2.7 55 25	3 55 25	3.4 55 25
WEIGHT (KG) BAR SIZE (CM) LINES (M) NUMBER OF CELLS	1.2 45 25	1.7 45 25	8 2 45 25 10	10 2.3 50 25	2.7 55 25 10	3 55 25 10	3.4 55 25 10
WEIGHT (KG) BAR SIZE (CM) LINES (M) NUMBER OF CELLS PROJECTED AREA [M ²]	1.2 45 25 10 2.4	1.7 45 25 10 3.5	8 2 45 25 10 4.8	10 2.3 50 25 10	2.7 55 25 10 7.3	3 55 25 10 8.5	3.4 55 25 10 9.8
WEIGHT (KG) BAR SIZE (CM) LINES (M) NUMBER OF CELLS PROJECTED AREA [M²] PROJECTED AR	1.2 45 25 10 2.4 2.3	1.7 45 25 10 3.5 2.3	8 2 45 25 10 4.8 2.3	10 2.3 50 25 10 6 2.3	2.7 55 25 10 7.3 2.3	3 55 25 10 8.5 2.3	3.4 55 25 10 9.8 2.3





Going Traveling?

Take the Alpha with you, it's incredibly lightweight, packs small and can do anything you want to do on any given day...

The Alpha V2 comes standard with an ultra lightweight Compressor Bag, perfect for travelling and day-to-day protection for your kite.

It is easy to use and compresses a kite to minimal size. Combine with the Technical Bag to fit multiple kites inside one carry bag.





INSPIRED

BY NATURE

DRIVEN

RV THE FLEMENTS



